

Data sheet

ARG 30





GENERAL

 Art. no.:
 G-AUS-0030
 E-class number:
 40-02-01-02

 EAN:
 4030281161714
 Customs no.:
 63079098



Data sheet

ARG 30

The ARG 30 series harnesses are the high performance all-rounders for industry and trade. Fall arrest rated front & rear attachment points, Confined Space loops on the shoulders plus traditional male/female type connect hardware make this a light, uncomplicated and comfortable harness. The central steel chest eyelet is approved as a fall-arrest and rescue eyelet. The individually adjustable buckles enable a single model to adapt to different sizes and different users. Also available with an optional 300mm Dorsal Extension strap.

GENERAL

Internat. standard: AS/NZS 1891.1:2007

FEATURES

Hand-washing: 40 °C

Max. service life: 10 Years

Max. number of persons: 1

Attachment Points:

dorsal attachment point, sternal attachment point, confined space loop

Temperature:

from -35 °C to +45 °C

Area of application:

Confined Spaces, Construction / Roofer /
Carpenter, Facade / Window Cleaning, High Rack,
Mobile Work Platforms

DIMENSIONS

Size:	UNISIZE
Waist size:	800-1100mm
Weight:	1,16 kg



MATERIAL

Material: Polyester, Steel

Webbing material: Polyester

Sternal attachment point material:

Steel

Confined space loop material:

Polyester

dorsal attachment point material:

Steel